

# SAFETY DATA SHEET

Sodium Carbonate, Anhydrous

SDS # : 497-19-8 Revision date: 2025-04-17 Format: NA Version 5.12

# 1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier              |  |
|---------------------------------|--|
| Product Name                    | Soda Ash   |
| Other means of identification   |  |
| Product Code(s)                 | 497-19-8   |
| Synonyms                        | Sodium carbonate, anhydrous; Carbonic acid, disodium salt; Disodium carbonate  |
| Chemical Family                 | Alkali salt  |
| Recommended use of the chemical | and restrictions on use  |
| Recommended Use:                | Glass manufacture, Personal care, Detergent, Water treatment chemical, Chemical processing   |
| Restrictions on Use:            | See section 16 for more information  |
| <u>Manufacturer Address</u>     | WE Soda Alkali LLC<br>124 E 55th St<br>New York, NY 10022<br>Tel: +1 877-362-2248 or +1 215-845-4500<br>https://www.wesoda.com/  |
| Emergency telephone number      | 1 307 / 872 2452 (Plant - Green River, WY)<br>1 303/ 389-1409 (Medical - U.S Call Collect)<br>For leak, fire, spill or accident emergencies, call:<br>1 800 / 424 9300 (CHEMTREC - U.S.A.) |
|                                 |  |

# 2. HAZARDS IDENTIFICATION

## **Classification**

#### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2A



#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

### Warning

Hazard Statements

H319 - Causes serious eye irritation



#### **Precautionary Statements - Prevention**

P264 - Wash face, hands and any exposed skin thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection **Precautionary Statements - Response** 

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

#### Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

#### Other Information

May be harmful if swallowed. Prolonged or repeated contact may dry skin and cause irritation

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Family Formula Alkali salt. Na<sub>2</sub>CO<sub>3</sub>

| Chemical name    | CAS-No   | Weight % |
|------------------|----------|----------|
| Sodium carbonate | 497-19-8 | ≥ 99.2   |

Synonyms are provided in Section 1.

| 4. FIRST AID MEASURES |  |  |  |
|-----------------------|--|--|--|
| Eye Contact           | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.                    |  |  |
| Skin Contact          | Wash off with warm water and soap. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use. |  |  |
| Inhalation            | Remove person to fresh air. If signs/symptoms continue, get medical attention.   |  |  |

Sodium Carbonate, Anhydrous

SDS #: 497-19-8

Causes serious eye damage / eye irritation.

occur

Revision date: 2025-04-17

Never give anything by mouth to an unconscious person Get medical attention if symptoms



Most important symptoms and

Ingestion

| effects, both acute and delayed  |  |  |  |  |
|--|--|--|--|--|
| Indication of immediate medical<br>attention and special treatment<br>needed, if necessary | Treat symptomatically.   |  |  |  |
|  | 5. FIRE-FIGHTING MEASURES  |  |  |  |
| Suitable Extinguishing Media   | Use extinguishing agent suitable for type of surrounding fire.   |  |  |  |
| Specific Hazards Arising from the<br>Chemical  | Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes   |  |  |  |
| Hazardous Combustion Products  | Fumes of sodium oxide. Carbon oxides (COx).  |  |  |  |
| Explosion data<br>Sensitivity to Mechanical Impact<br>Sensitivity to Static Discharge      | Not sensitive.<br>Not sensitive.   |  |  |  |
| Protective equipment and precautions for firefighters                                      | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.   |  |  |  |
|  | 6. ACCIDENTAL RELEASE MEASURES   |  |  |  |
| Personal Precautions   | Avoid dust formation. Sweep up to prevent slipping hazard.   |  |  |  |
| Other  | For further clean-up instructions, call Emergency Hotline number listed in Section 1<br>"Product and Company Identification" above.  |  |  |  |
| <b>Environmental Precautions</b>   | Do not flush into surface water or sanitary sewer system.  |  |  |  |
| Methods for Containment  | Prevent large quantities of this product from contacting vegetation or waterways. Cover with plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal.   |  |  |  |
| Methods for cleaning up  | Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indicated in Section 13.   |  |  |  |
|  | 7. HANDLING AND STORAGE  |  |  |  |
| Handling   | Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected. Make sure the locations of the eye washers and safety showers are close to the workstation locations. |  |  |  |
| Storage  | Store in original container. Keep in properly labeled containers. Keep container tightly   |  |  |  |

closed.

Incompatible products Aluminum. Powdered aluminum. Acids



# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **8.1 Control parameters**

| Ingredient                       | Agency   | Workplace Exposure Limits  |  |  |  |  |
|----------------------------------|--|--|--|--|--|--|
| Carbonic acid sodium salt (1:2)  | OSHA PEL (TWA) (mg/m <sup>3</sup> )  | 10 mg/m <sup>3</sup> Total dust;   |  |  |  |  |
|                                  |  | 5 mg/m <sup>3</sup> Respirable fraction  |  |  |  |  |
| Carbonic acid sodium salt (1:2)  | MSHA   | 10 mg/m <sup>3</sup> Total dust  |  |  |  |  |
| 8.2 Exposure                     |  |  |  |  |  |  |
| Appropriate engineering controls | <u>S</u>   |  |  |  |  |  |
| Engineering measures             | Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. |  |  |  |  |  |
| Individual protection measures,  | such as personal protective  | equipment_   |  |  |  |  |
|                                  |  |  |  |  |  |  |
| Eye/Face Protection              | Wear safety glass<br>exists, wear full face shiel  | es or protective glasses with side shields. If splash potential<br>d or chemical goggles.  |  |  |  |  |
| Skin and Body Protection         | Wear suitable prote  | ective clothing. Protective shoes or boots.  |  |  |  |  |
| Hand Protection                  | Wear protective glue (e.g. Nitrile or Neoprene)  | oves. If handling solutions, impervious gloves recommended   |  |  |  |  |
| Respiratory Protection           | In case of inadequa  | te ventilation wear respiratory protection.  |  |  |  |  |
| Hygiene measures                 |  | Handle in accordance with good industrial hygiene and safety practice. Make sure the locations of the eye washers and safety showers are close to the workstation locations. |  |  |  |  |
| General information              | These recommendations  | apply to the product as supplied   |  |  |  |  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

| Appearance                   | Granules  |
|------------------------------|---|
| Physical State               | Solid   |
| Color                        | White   |
| Odor                         | odorless  |
| Odor threshold               | Not applicable  |
| рН                           | 11.4 (1% solution in water)   |
| Melting point/freezing point | 851 °C  |
| Boiling Point/Range          | No information available  |
| Flash point                  | Not applicable  |
| Evaporation Rate             | No information available  |
| Flammability (solid, gas)    | Non-combustible, substance itself does not burn but may decompose upon heating to<br>produce corrosive and/or toxic fumes |

Flammability Limit in Air



| Upper flammability limit:    | No information available  |
|------------------------------|---|
| Lower flammability limit:    | No information available  |
| Vapor pressure               | No information available  |
| Vapor density                | No information available  |
| Density                      | No information available  |
| Specific gravity             | 2.52  |
| Water solubility             | 212.5 g/L @ 20 °C   |
| Solubility in other solvents | No information available  |
| Partition coefficient        | No information available  |
| Autoignition temperature     | No information available  |
| Decomposition temperature    | 400 °C  |
| Viscosity, kinematic         | No information available  |
| Viscosity, dynamic           | No information available  |
| Explosive properties         | Not explosive   |
| Oxidizing properties         | Non-oxidizing   |
| Molecular weight             | 105.99  |
| Bulk density                 | 0.86 - 1.12 g/cm <sup>3</sup> (Dense grades) 0.70 - 0.90 g/cm <sup>3</sup> (Light Grades) |
| K <sub>st</sub>              | 0 bar m/s   |

#### **10. STABILITY AND REACTIVITY**

| None under normal use conditions.                   |
|---|
| Stable. Decomposes by reaction with strong acid.    |
| None under normal processing.                       |
| Hazardous polymerization does not occur.            |
| Exposure to air or moisture over prolonged periods. |
| Aluminum. Powdered aluminum. Acids.                 |
|   |

Hazardous Decomposition Products Sodium oxides. Carbon oxides (COx).

# **11. TOXICOLOGICAL INFORMATION**

#### Product Information

LD50 Oral LD50 Dermal LC50 Inhalation 2,800 mg/kg (rat) > 2,000 mg/kg (rabbit)

Eve Contact Skin Contact Sensitization Irritating to eyes. Non-irritating Patch test on human volunteers did not demonstrate sensitization properties.

#### Information on toxicological effects

Symptoms

No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Chronic toxicity Mutagenicity** Carcinogenicity **Reproductive toxicity** STOT - single exposure No known effect. No information available Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH). No information available. No information available.



STOT - repeated exposure Aspiration hazard No information available. No information available.

# 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

| Sodium carbonate (497-19-8)                      |  |  |                     |       |  |
|--|--|--|---------------------|-------|--|
| Active Ingredient(s)                             | Duration   | Species  | Value               | Units |  |
| Sodium Carbonate                                 | 96 h LC50  | Bluegill sunfish                                 | 300                 | mg/L  |  |
| Sodium Carbonate                                 | 48 h EC50  | Ceriodaphnia                                     | 200-227             | mg/L  |  |
| Persistence and degradability<br>Bioaccumulation | 0  | bility does not pertain to in<br>o-accumulate.   | organic substances. |       |  |
| Mobility   | Dissociates into ions.   |  |                     |       |  |
| Other Adverse Effects                            | None known.  |  |                     |       |  |
|  | 12 DI  |  | ATIONS              |       |  |
| 13. DISPOSAL CONSIDERATIONS                      |  |  |                     |       |  |
| Waste disposal methods                           | This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with local regulations. |  |                     |       |  |
| Contaminated Packaging                           | Dispose of   | Dispose of in accordance with local regulations. |                     |       |  |

### **14. TRANSPORT INFORMATION**

| DOT       | NOT REGULATED |
|-----------|---------------|
| TDG       | NOT REGULATED |
| ICAO/IATA | NOT REGULATED |
| IMDG/IMO  | NOT REGULATED |

**15. REGULATORY INFORMATION** 

# U.S. Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

| Acute health hazard               | Yes |
|-----------------------------------|-----|
| Chronic health hazard             | No  |
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

## California Proposition 65

**WARNING**: This product can expose you to chemicals including lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <u>www.P65Warnings.ca.gov</u>.

#### U.S. State Right-to-Know Regulations

This product is not listed on state right-to-know regulations

### International Inventories

| Component                       | TSCA<br>(United<br>States) | DSL<br>(Canada) | EINECS/ELI<br>NCS<br>(Europe) | ENCS<br>(Japan) | China<br>(IECSC) | KECL<br>(Korea) | PICCS<br>(Philippines) | AICS<br>(Australia) |
|---------------------------------|----------------------------|-----------------|-------------------------------|-----------------|------------------|-----------------|------------------------|---------------------|
| Sodium carbonate 497-19-8 (100) | Х                          | Х               | Х                             | Х               | Х                | Х               | Х                      | Х                   |

#### Mexico - Grade

Moderate risk, Grade 2

# **16. OTHER INFORMATION**

| NFPA   | Health Hazards 2 | Flammability | 0 1        | nstability 0      | Special Hazards -     |
|--|------------------|--------------|------------|-------------------|-----------------------|
| HMIS   | Health Hazards 2 | Flammability | 0 <b>P</b> | Physical hazard 0 | Personal Protection X |
| <b>NFPA/HMIS Ratings Legend</b> Severe = 4: Serious = 3: Moderate = 2: Slight = 1: Minimal = 0 |                  |              |            |                   |                       |

#### **Product Certifications**

This product is certified to NSF/ANSI/CAN Standard 60 for use in drinking water treatment at the specified maximum use limit. The MUL (maximum use level) for sodium carbonate, anhydrous is 150 mg/L under NSF/ANSI/CAN Standard 60.







Revision date: Revision note: 2025-04-17 Changed corporate address

#### Disclaimer

WE Soda Alkali LLC believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of WE Soda Alkali LLC; WE Soda Alkali LLC expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.



Prepared By:

WE Soda Alkali LLC

WE Soda Logo - Trademark of WE Soda, Ltd.

© 2025 WE Soda Alkali LLC. All Rights Reserved.

End of Safety Data Sheet